

# BARK HOUSE ® POPLAR PANELS BEAUTIFUL OUTSIDE AND WITHIN TM



- NATURAL LUXURY
- SUSTAINABLE INNOVATION
- RUGGED YET REFINED



SALES@BARKHOUSE.COM 828-765-9010

BARKHOUSE.COM

534 OAK AVENUE SPRUCE PINE, NC 28777, USA

COPYYRIGHT HIGHLAND CRAFTSMEN, INC 2014

## ONE IN A THOUSAND TREES...



Bark House Poplar Panels are one of the most extraordinary products that we offer. Young and old alike are mesmerized by such a recognizable texture presented in a way that almost defies believability.

We estimate that no more than one in a thousand trees will yield a sheet of bark large enough to become one of these treasures. Harvested from reclaimed forest material, timing and skill are critical to the success of unrolling an unbroken full cylinder from a log. No two are ever alike. Limb scars, epicormic knots, growth stress, bird peck, and lightning scars are all textural variances that can be present that give each sheet its own unique identity. One can even tell directions the bark faced by the distinct color changes that flow from the north side to the south.

Flattened, kiln-dried, and precision squared, our panels make direct applications to drywall or plywood quick and simple. We also offer our panels vacuum laminated to various substrates for use as cabinetry inserts, stand-off wall mounts, or for exterior walls. The deeply furrowed and rugged outer cork provides the same outdoor protection as our shingles while also exhibiting amazing interior acoustical benefits. Whether your needs are for total wall covering or a small accent, interior or exterior, commercial or residential, our Bark House Poplar Panels always become a stunning focal point for any space.



COPYRIGHT HIGHLAND CRAFTSMEN, INC 2014





Length: Panels are standard in lengths of 3', 4', 6', 8' 10', 12', and 14'

Width: Panel width is random from 24" up to 96"

**Grade:** Interior Grade is 3/8" to 7/16" thick. Standard Grade is 1/2" to 1/8" thick. Premium Grade is 15/16" to 1/8" thick.

- Panels are flat and precision squared.
- Kiln dried and sterile
- Panels are Cradle to Cradle Gold CM Certified for exterior use
- Panels are Cradle to Cradle Silver CM Certified for interior use
- ASTM E-84 -05 Class B Fire Rating
- Meets California VOC Emission Standards

**Options:** We offer our panels either with their original natural surface or with the surface planed and sanded. This technique flattens down the bark ridges while leaving the fissured "valleys" intact.

We also offer a number of paint, stain, and clear finish options to further enhance and protect.



#### **Poplar Bark Laminated Panels for Interior Use**

**Length:** Laminated Panels are available in your choice of any length up to 12'

Width: Laminated Panels are available in your choice of any width up to 48"

**Grade:** Thickness varies based upon bark grade and substrate choice.

- You may choose between multiple substrate types and thicknesses
- Laminated Panels are flat and precision squared.
- Kiln dried and sterile

**Options:** We offer our panels either with their original natural surface or with the surface planed and sanded. This technique flattens down the bark ridges while leaving the fissured "valleys" intact.

We also offer a number of paint, stain, and clear finish options to further enhance and protect.



#### **Poplar Bark Laminated Panels for Exterior Use**

**Length:** Laminated Panels are available in your choice of any length up to 12'

Width: Laminated Panels are available in your choice of any width up to 48"

**Grade:** Laminated Standard Grade is 1'' to  $1\ 3/8''$  thick. Laminated Premium Grade is  $1\ 7/16''$  to 2'' thick.

- Bark Panels are laminated to ½" Extira® Treated Exterior Panels with Marine Epoxy with the option of interlocking edges or with edges flush.
- Laminated Panels are flat and precision squared.
- Kiln dried and sterile

**Options:** We offer our exterior use panels coated in an exterior rated flat varnish









### BARKHOUSE PRODUCTS

- Cradle to Cradle Gold or Silver Certified
- Chain of Custody Certified
- CIS® Certified for Drying & Sterilization

**AUTHORIZED DEALER** 

CALL OR EMAIL US TO LOCATE AN AUTHORIZED DEALER
IN YOUR AREA
828-765-9010 SALES @BARKHOUSE.COM
WWW.BARKHOUSE.COM COPPLICATE HIGHLAND CRAFTISMEN, INC. 2014

