


PANELS POPLAR BARK WALL

 arredoeconvivio.com/arredo-e-design/pannelli-poplar-bark-wall

admin



PANELS POPLAR BARK WALL


Coatings of poplar bark

A truly unique panel for wall decoration



PANELS POPLAR BARK WALL


The poplar is a willow and can grow up to 30-45 meters in height. High quality masts are up to 40 mm thick (premium version), the smaller shafts have a flat structure up to 20 mm (standard version). After being worked, the bark is used as a whole piece and does not adhere to other support panels and therefore is suitable for both interior areas and facades. Each sheet is unique.




PANELS POPLAR BARK WALL

- Material: poplar bark (from a piece)
- Acoustically effective
- Standard and premium quality (thickness)

Thickness: standard 13 - 22 mm (0.51 - 0.86 inch) thick; premium 24 - 35 mm (0.94 - 1.38 inches) thick



- Weight: standard weight 1.4 kg and premium weight 2.2 kg per panel
- Uses: perfect for interior walls, facades, furniture, furniture
- Assembly: screw assembly
- Delivery time: approx. 2 - 3 weeks, for special sizes up to 3 months
- Sizes: large panels: height up to 3000 mm (118.11 inches) shingles: height: 660 mm (25.98 inches), Width: varies, sales unit: 1 layer with 1220 x 660 mm (44.09 x 25.98 inches), consisting of multiple shingles.



<https://barkhouse.com/>